

***Daucus carota* L. subsp. *gummifer* (Syme) Hook. f.      Sea Carrot**

Native

GB & England: Least Concern

GB Scarce

VC5 Lost; VC6 Rare

A biennial herb of maritime cliffs, grassland and dunes. In VC5, first recorded at Shurton Bars by J.C. Collins (Watson, 1837). In 1908 E.S. Marshall collected a specimen (now in **CGE**) from near Minehead [SS9548] which has been determined as this taxon by P.D. Sell. The last record for VC5 was at Shurton Bars, where it was collected by H. Slater in 1915 (specimen in **TTN**). In VC6, recorded near Brean by J.C. Collins (Watson, 1837) and seen on Brean Down by J.C. Melvill (Murray, 1896). Its occurrence on Brean Down was confirmed by E. Ellman in 1919 (Roe, 1981). H.S. Thompson collected a specimen (now in **BIRM**, see <http://herbariaunited.org/specimen/309264/>) from limestone cliffs by the quarry at Uphill in 1931. In 2014 a single plant was found by Helena Crouch and Fred Rumsey on south-facing rocks at the east end of Brean Down, with *Orobanche minor* subsp. *maritima*. Sea Carrot is mostly distributed around southern and western coasts of Britain and in the south of Ireland; sites in Somerset are within this range.

<b>VC6</b>					
Brean Down	SSSI	ST30055884	2014	HJC, FJR	1 on S-facing rocks, E end of Brean Down



*Daucus carota* subsp. *gummifer* on Brean Down (2014). Photo: FJR