

## References for the Somerset Rare Plant Register

Updated Nov 2023

- Akeroyd, J.R. (2014). *Docks and knotweeds of Britain and Ireland*. 2nd ed. of *Docks and Knotweeds of the British Isles* by J.E. Lousley and D.H. Kent. BSBI Handbook No.3. Botanical Society of Britain and Ireland, London.
- Anon. (1953). Botanical report. *Mid-Somerset Naturalist Society Report and Reference Book 2*: 30-31.
- Babington, C.C. (1834). *Flora Bathoniensis: or a catalogue of the plants indigenous to the vicinity of Bath*. Collings, Bath.
- Babington, C.C. (1839). *Flora Bathoniensis: or a catalogue of the plants indigenous to the vicinity of Bath*. 2<sup>nd</sup> ed. Collings, Bath.
- Barnett, K. & Rich, T.C.G. (2000). *Thlaspi perfoliatum* L. new to Worcestershire (v.c. 37). *Watsonia* **23**: 220.
- Boon, H.W. (1960 [misprint for 1961]). Botanical notes 1960. *Mid-Somerset Naturalist Society Report and Reference Book 10*: 28-30.
- Bowen, H. (2000). *The flora of Dorset*. Pisces Publications, Newbury.
- Callow, R.S. (1975) 689. *Koeleria* Pers. in Stace, C A. ed. (1975). *Hybridization and the flora of the British Isles*. Academic Press, London.
- Callow, R.S. (1980). Evolution in a polyploid complex. *Watsonia* **13**: 77-78.
- Callow, R.S. & Parker, J.S. (1979). Breeding behaviour and population differentiation in the hexaploid grass *Koeleria vallesiana* (Honck.) Bertol.. *New Phytologist* **83**: 537-547.
- Cheffings, C.M. & Farrell, L., eds. (2005). *The vascular plant red data list for Great Britain*. Joint Nature Conservation Committee, Peterborough.
- Clark, T. (1858). A catalogue of the rarer plants of the Turf Moors of Somerset. *Proceedings of the Somersetshire Archaeological and Natural History Society* **7**: 64-71.
- Collinson, J. (1791). *A history and antiquities of the county of Somerset*. R. Cruttwell, Bath.
- Cope, T. & Gray, A. (2009). *Grasses of the British Isles*. BSBI Handbook No. 13. Botanical Society of the British Isles, London.
- Crouch, H.J. (2009). Diverse routes to Glastonbury. *BSBI News* **110**: 45-46.
- Crouch, H.J. (2016). *Rare plants survey of the Cheddar Complex SSSI: 2016*. Unpublished Report for Natural England.
- Crouch, H.J, McDonnell, E.J., Miles, S. & Rich, T.C.G. (2019). Distribution and population size of *Hieracium stenolepisiforme* (Pugsley) P. D. Sell & C. West, Cheddar Hawkweed (Asteraceae). *British & Irish Botany* **1**: 1-6.
- Dandy, J.E. & Taylor, G. (1939). Studies of British Potamogetons.— IV. The identity of *Potamogeton Drucei*. *Journal of Botany* **77**: 56-62.
- Davies, E.W. (1956). Some new chromosome numbers in the Cyperaceae. *Watsonia* **3**: 242-243.
- Davis, B.N.K. (1977). The *Hieracium* flora of chalk and limestone quarries in England. *Watsonia* **11**: 345-351.

- Druce, G.C. (1904). *Aster linosyris* in North Somerset. *Journal of Botany* **42**: 385.
- Dunn, S.T. (1896). Somerset aliens. *Journal of Botany* **34**: 478.
- Dunn, S.T. (1897). Aliens from Turkish barley. *Journal of Botany* **35**: 444-445.
- Edwards, B. & Pearman, D. (2004). *Dorset rare plant register: an account of the rare, scarce and declining plants of Dorset*. Dorset Environmental Records Centre in conjunction with the Botanical Society of the British Isles, Dorchester.
- Ellis, R.G. (1983). *Flowering plants of Wales*. National Museum of Wales, Cardiff.
- Erskine, S.E., Killick, H.J., Lambrick, C.R. & Lee, E.M. (2018). *Oxfordshire's threatened plants: a register of the rare and scarce plants of the administrative county, and of vice-county 23*. Pisces Publications, Newbury.
- Evans, T.G. (2006). *Equisetum ramosissimum* Desf. – Branched Horsetail. *BSBI Welsh Bulletin* **77**: 10-11.
- Farrant, A.R. (2008). *A walkers' guide to the geology and landscape of eastern Mendip*. British Geological Survey, Nottingham.
- Fitzgerald, R. (1986). New records from V.c. 6, North Somerset. *BSBI Hieracia Group Notes* **10**: 5-6.
- FitzGerald, R. (1990). *Rare plant survey of south-west England. Volume One – Somerset*. Unpublished report for Nature Conservancy Council.
- FitzGerald, R. (2019). An intertidal adventure. *BSBI News* **141**: 23-26.
- FitzGerald, R. & Jermy, C. (1987). *Equisetum ramosissimum* in Somerset. *Pteridologist* **1**: 178-181.
- FitzGerald, R. & McDonnell, E.J. (1997). *Cheddar Gorge rare plants survey*. Unpublished report for English Nature.
- Foley, M.J.Y. (1990). The current distribution and abundance of *Orchis ustulata* L. in southern England. *Watsonia* **18**: 37-48.
- Fraser-Jenkins, C.R. (1980). *Dryopteris affinis*: a new treatment for a complex species in the European pteridophyte flora. *Willdenowia* **10**: 107-115.
- Fraser-Jenkins, C.R. (2007). The species and subspecies in the *Dryopteris affinis* group. *Fern Gazette* **18**: 1-26.
- Fry, D. (1888). *Helianthemum polifolium* Pers. in N. Somerset. *Journal of Botany* **26**: 313.
- Giddens, C.J. (1984). *Atlas to the flowers of Exmoor*. Alcombe Books, Minehead.
- Gill, J.J.B., McAllister, H.A. & Fearn, G.M. (1978). Cytotaxonomic studies on the *Cochlearia officinalis* L. group from inland stations in Britain. *Watsonia* **12**: 15-21.
- Green, I.P., Higgins, R.J., Kitchen, C. & Kitchen, M.A.R. (2000). *The flora of the Bristol region*. Pisces Publications, Newbury.
- Green, P. (2008). *Flora of County Waterford*. National Botanic Gardens of Ireland.
- Green, P.R., Green, I.P. & Crouch, G.A. (1997). *The atlas flora of Somerset*. Published by the authors.

- Grenfell, A.L. (1980). Aliens galore at Brislington Tip. *BSBI News* **25**: 17-18.
- Grenfell, A.L. (1984). Reports: Excursions held in connection with the Annual General Meeting. *Watsonia* **15**: 61-62.
- Hope-Simpson, J.F. (1987). Cautionary tale III. *BSBI News* **47**: 22-23.
- Hounsome, G. (2011). *Fumaria reuteri* in Surrey (v.c.17). *BSBI News* **118**: 20.
- Howarth, W.O. (1933). Notes on *Koeleria Pers.* *Report of the Botanical Society and Exchange Club of the British Isles* **10**: 37-41.
- Hubbard, C.E. (1975). 708. *Alopecurus L.* in Stace, C A. ed. (1975). *Hybridization and the flora of the British Isles*. Academic Press, London.
- Hubbard, C.E. (1984). *Grasses: a guide to their structure, identification, uses, and distribution in the British Isles*. 3<sup>rd</sup> ed., revised by J.C.E. Hubbard. Penguin Books, Harmondsworth.
- Hudson, W. (1778). *Flora Anglica. Editio altero* [2<sup>nd</sup> ed.], J. Nourse, London.
- Jenyns, L. (1867). Lecture on the Bath flora. *Proceedings of the Bath Natural History and Antiquarian Field Club* **1**: 25-63.
- Keble Martin, W. & Fraser, G.T. (1939). *Flora of Devon: phanerogams, vascular cryptogams, charophyta*. T. Buncle & co., Arbroath.
- Knass, G., Mundell, T., Norton, J. & Rand, M. (2012). New sites for Martin's Ramping-fumitory *Fumaria reuteri* in Hampshire (v.cc.11 & 12). *BSBI News* **119**: 8-9.
- Linton, E.F. (1909). Notes on the flora of Dorset. *Journal of Botany* **47**: 378-384.
- Lousley, J.E. & Kent, D.H. (1981). Docks and knotweeds of the British Isles. Botanical Society of the British Isles, London.
- Lovatt, C.M. (1982). *The history, ecology and status of the rare plants and the vegetation of the Avon Gorge, Bristol*. PhD thesis. University of Bristol.
- Maskew, R. (2014). *The flora of Worcestershire*. Published by the author, Tenbury Wells.
- Marren, P. (1999). *Britain's rare flowers*. T. & A.D. Poyser, London.
- Marshall, E.S. (1909). Somerset plant-notes for 1908. *Journal of Botany* **47**: 255-261.
- Marshall, E.S. (1914). *A supplement to the flora of Somerset*. Somerset Archaeological and Natural History Society, Taunton.
- Marshall, E.S. (1916). Somerset plant-notes for 1915. *Journal of Botany* **54**: 97-105.
- Marshall, E.S. (1917). Somerset plant-notes for 1916. *Journal of Botany* **55**: 179-191.
- Marshall, E.S. (1919). Notes on Somerset plants for 1918. *Journal of Botany* **57**: 175-181.
- McCosh, D.J. & Rich, T.C.G. (2011). *Atlas of British and Irish Hawkweeds (Pilosella L. and Hieracium L.)*. Botanical Society of the British Isles, London.
- McCosh, D.J. & Rich, T.C.G. (2018). *Atlas of British and Irish Hawkweeds (Pilosella Hill and Hieracium L.)*. Second edition. Botanical Society of the British Isles, London.

McDonnell, E.J. (1992). Reports of field meetings – 1991: Axbridge, Mendip Hills, N. Somerset (v.c. 6) 9<sup>th</sup> June. *BSBI News* **60**: 50-51.

McDonnell, E.J. (1998). Reports of field meetings – 1996 & 1997: Crook Peak & Brean Down, N. Somerset (v.c. 6) 7<sup>th</sup> & 8<sup>th</sup> June. *BSBI News* **78**: 75.

McDonnell, E.J. & Pollock, K. (1999). Reports of field meetings – 1998: Shapwick Heath and Southlake Moor, N. Somerset (v.c. 6), 6<sup>th</sup> & 7<sup>th</sup> June. *BSBI News* **81**: 62-64.

McHaffie, H. (2010). Two more *Fumaria reuteri* (Martin's Ramping-fumitory) locations in Scotland. *BSBI News* **114**: 26-27.

Melderis, A. (1958). Plant notes: 572/5 *Scutellaria altissima* L. *Proceedings of the Botanical Society of the British Isles* **3**: 47.

Metherell, C. & Rumsey, F.J. (2018). *Eyebrights (Euphrasia) of the UK and Ireland*. BSBI Handbook No. 18. Botanical Society of Britain and Ireland, Bristol.

Miller, W.D. (1933). A note on extinct and rare species of the county of Somerset. *Report of the Botanical Society and Exchange Club of the British Isles* **10**: 268-276.

Murray, R.P. (1896). *The flora of Somerset*. Barnicott & Pearce, Taunton.

Parsons, A. (2010). *An annotated list of the flora of Steep Holm*. Privately published.

Pearman, D.A. & Edwards, B. (2002). *Valerianella eriocarpa* Desv. in Dorset, and a reassessment of its status as a presumed introduction in Britain. *Watsonia* **24**: 81-89.

Perring, F.H. & Farrell, L. (1977). *British red data books: 1. Vascular plants*. SPNC, Lincoln.

Perring, F.H. & Farrell, L. (1983). *British red data books: 1. Vascular plants*, 2<sup>nd</sup> ed. Royal Society for Nature Conservation, Lincoln.

Perring, F.H. & Sell, P.D. eds. (1968). *Critical supplement to the atlas of the British flora*. Thomas Nelson & Sons, London.

Polwhele, R. (1797). *The history of Devonshire. Volume 1*. Trewman & Son, Exeter.

Preston, C.D. (1995). *Pondweeds of Great Britain and Ireland*. B.S.B.I. Handbook No. 8. Botanical Society of the British Isles, London.

Preston, C.D., Pearman, D.A. & Dines, T.D. eds. (2002). *New atlas of the British & Irish flora*. Oxford University Press, Oxford.

Proctor, M.C.F. (1956). Ecological and historical factors in the distributions of the British *Helianthemum* species. *Journal of Ecology* **46**: 349-371.

Randall, R.D. (1982). Botanical records. *Bath Natural History Society Magazine* **(1982)**: 1101-1103.

Ray, J. (1688). *Fasciculus stirpium Britannicarum, post editum Plantarum Angliae Catalogum observatarum*. Londini.

Rich, T.C.G. (1991). *Crucifers of Great Britain and Ireland*. BSBI Handbook No. 6. Botanical Society of the British Isles, London.

Rich, T.C.G. (1999). Conservation of Britain's biodiversity: *Cyperus fuscus* L. (Cyperaceae), Brown Galingale. *Watsonia* **22**: 397-403.

- Rich, T.C.G. & Birkinshaw, C.R. (2001). Conservation of Britain's biodiversity: *Carex depauperata* With. (Cyperaceae), Starved Wood-sedge. *Watsonia* **23**: 401-411.
- Rich, T.C.G. & Lockton, A.J. (2002). *Bromus interruptus* (Hack.) Druce (Poaceae) – an extinct English endemic. *Watsonia* **24**: 69-80.
- Rich, T.C.G. & McDonnell, E.J. (2001). *Distribution and conservation of Hieracium cyathis, Chalice Hawkweed*. Unpublished report from National Museum of Wales to Countryside Council for Wales and English Nature.
- Rich, T.C.G., Kitchen, M.A.R. & Kitchen, C. (1989). *Thlaspi perfoliatum* L. (Cruciferae) in the British Isles: distribution. *Watsonia* **17**: 401-407.
- Rich, T.C.G., McDonnell, E.J. & Lledó, M.D. (2008). Conservation of Britain's biodiversity: the case of *Hieracium cyathis* (Asteraceae) and its relation to other apomictic taxa. *Botanical Journal of the Linnean Society* **156**: 669-680.
- Roe, R.G.B. (1981). *The flora of Somerset*. Somerset Archaeological and Natural History Society, Taunton.
- Roe, R.G.B. (1983). Vascular plants 1982. *Proceedings of the Somerset Archaeological and Natural History Society* **127**: 131-134.
- Roe, R.G.B. (1984). Vascular plants 1983 and 1984. *Proceedings of the Somerset Archaeological and Natural History Society* **128**: 109-116.
- Roe, R.G.B. (1986). Losses and threatened losses from the Somerset flora. *Proceedings of the Somerset Archaeological and Natural History Society* **130**: 193-199.
- Roe, R.G.B. (1988). Vascular plants 1987. *Proceedings of the Somerset Archaeological and Natural History Society* **131**: 273-278.
- Roe, R.G.B. (1989). Vascular plants 1988. *Proceedings of the Somerset Archaeological and Natural History Society* **132**: 341-346.
- Rumsey, F.J. (2008a). Oak Fern (*Gymnocarpium dryopteris* (L.) Newman) found in Surrey. *Pteridologist* **5**: 2.
- Rumsey, F.J. (2008b). Broomrapes of the British Isles. *British Wildlife* **19**: 264-270.
- Rumsey, F.J. (2018). The status of *Teucrium chamaedrys* (Wall Germander) in the British Isles. *BSBI News* **137**: 20-23.
- Rumsey, F.J., Crouch, H.J. & Tosh, J. (2012). Review of *Ophrys apifera* x *O. insectifera* (beefly orchid) in the British Isles, with validation of the hybrid name *Ophrys x pietzschii*. *New Journal of Botany* **2**: 100-109.
- Rumsey, F.J., Jermy, A.C. & Sheffield, E. (1998). The independent gametophytic stage of *Trichomanes speciosum* Willd. (Hymenophyllaceae), the Killarney Fern and its distribution in the British Isles. *Watsonia* **22**: 1-19.
- Rumsey, F.J. & Jury, S.L. (1991). An account of *Orobanche* L. in Britain and Ireland. *Watsonia* **18**: 257-295.
- Rumsey, F.J. & Spencer, M. (2012). Is *Equisetum ramosissimum* (Equisetaceae: Equisetophyta) native to the British Isles? *Fern Gazette* **19**: 37-46.

Rutter, J. (1829). *Delineations of the north western division of the county of Somerset, and of its antediluvian bone caverns: with a geological sketch of the district*. Published by the author, Shaftesbury.

Sandwith, C.I. (1932). The adventive flora of the port of Bristol. *Report of the Botanical Society and Exchange Club of the British Isles* **10**: 314-363.

Sandwith, C.I. (1936). Bristol botany in 1935. *Proceedings of the Bristol Naturalists' Society Fourth Series*, **8**: 117-120.

Sandwith, C.I. (1939). Bristol botany in 1938. *Proceedings of the Bristol Naturalists' Society Fourth Series*, **8**: 389-393.

Sandwith, C.I. (1941). Bristol botany in 1940. *Proceedings of the Bristol Naturalists' Society Fourth Series*, **9**: 89-92.

Sandwith, C.I. (1946). Bristol botany in 1945. *Proceedings of the Bristol Naturalists' Society* **27**: 70-78.

Sandwith, C.I. (1947). Bristol botany in 1946. *Proceedings of the Bristol Naturalists' Society* **27**: 149-159.

Sandwith, C.I. & Sandwith, N.Y. (1948). Bristol botany in 1947. *Proceedings of the Bristol Naturalists' Society* **27**: 203-208.

Sandwith, C.I. & Sandwith, N.Y. (1950). Bristol botany in 1949. *Proceedings of the Bristol Naturalists' Society* **28**: 19-20.

Sandwith, C.I. & Sandwith, N.Y. (1951). Bristol botany in 1950. *Proceedings of the Bristol Naturalists' Society* **28**: 169-175.

Sandwith, C.I. & Sandwith, N.Y. (1953). Bristol botany in 1952. *Proceedings of the Bristol Naturalists' Society* **28**: 305-314.

Sandwith, C.I. & Sandwith, N.Y. (1955). Bristol botany in 1954. *Proceedings of the Bristol Naturalists' Society* **29**: 17-24.

Sandwith, C.I. & Sandwith, N.Y. (1956). Bristol botany in 1955. *Proceedings of the Bristol Naturalists' Society* **29**: 101-108.

Sandwith, C.I. & Sandwith, N.Y. (1959). Bristol botany in 1955. *Proceedings of the Bristol Naturalists' Society* **29**: 423-432.

Sandwith, C.I. & Sandwith, N.Y. (1961). Bristol botany in 1960. *Proceedings of the Bristol Naturalists' Society* **30**: 107-112.

Sandwith, N.Y. (1921). Some Bristol plants. *Journal of Botany* **59**: 21-22.

Sandwith, N.Y. (1962). Bristol botany in 1961. *Proceedings of the Bristol Naturalists' Society* **30**: 239-244.

Sell, P. & Murrell, G. (2009). *Flora of Great Britain and Ireland: volume 3 Mimosaceae – Lentibulariaceae*. Cambridge University Press, Cambridge.

Shiercliff, E. (1789). *The Bristol and Hotwell Guide*. Bulgin & Rosser, Bristol.

Smith, R., Hodgson, B. & Ison, J. (2016). *A new flora of Devon*. The Devonshire Association for the Advancement of Science, Literature and the Arts, Exeter.

- St. Brody, G. (1856). *The flora of Weston, and its immediate neighbourhood*. Published by the author, Weston-super-Mare.
- Stace, C.A. (1961). *Nardurus maritimus* (L.) Murb. in Britain. *Proceedings of the Botanical Society of the British Isles* **4**: 248-261.
- Stace, C.A. ed. (1975). *Hybridization and the flora of the British Isles*. Academic Press, London.
- Stace, C. (2010). *New flora of the British Isles*. 3<sup>rd</sup> ed. Cambridge University Press, Cambridge.
- Stace, C.A., Preston, C.D. & Pearman, D.A. (2015). *Hybrid flora of the British Isles*. Botanical Society of Britain and Ireland, Bristol.
- Stewart, A., Pearman, D.A. & Preston, C.D. eds. (1994). *Scarce plants in Britain*. Joint Nature Conservation Committee, Peterborough.
- Stroh, P.A., Leach, S.J., August, T.A., Walker, K.J., Pearman, D.A., Rumsey, F.J., Harrower, C.A., Fay, M.F., Martin, J.P., Pankhurst, T., Preston, C.D. & Taylor, I. (2014). *A vascular plant red list for England*. Botanical Society of Britain & Ireland, Bristol.
- Stroh, P.A., Walker, K.J., Humphrey, T.A., Pescott, O.L. & Burkmar, R.J. (2023). *Plant Atlas 2020: mapping changes in the distribution of the British and Irish flora*. Botanical Society of Britain and Ireland, Durham & Princeton University Press, Princeton and Oxford.
- Swete, E.H. (1854). *Flora Bristoliensis*. Van Voorst, London.
- Taylor, I. (1990). *Rare plant survey of south west England. Volume five – Avon*. Unpublished report for Nature Conservancy Council.
- Teesdale, I. (2008). Fumitories in Kintyre – and a species new to Scotland. *BSBI Scottish Newsletter* **30**: 22-25.
- Thompson, H.S. (1929). The vegetation of Berrow Flats, Somerset. *Annual Report and Proceedings of the Bristol Naturalists' Society* **7**: 35-40.
- Turner, D. & Dillwyn, L.W. (1805). *The botanist's guide through England and Wales*. Phillips & Farden, London.
- Turner, W. (1568). *A new herbal, the thirde parte*. Arnold Birckman, Cologne.
- Vize, J.E. (1890). Teratology. *Transactions of the Woolhope Naturalists' Field Club* (**1890**): 115-121.
- Wallace, E.C. & Wilmott, A.J. (1942). Plant records. *Report of the Botanical Society and Exchange Club of the British Isles* **12**: 265-307.
- Watson, H.C. (1835). *The new botanist's guide to the localities of the rare plants of Britain*. Longman & co., London.
- Watson, H.C. (1837). *Supplement to the new botanist's guide to the localities of the rare plants of Britain*. Longman & co., London.
- Watson, H.C. (1874). *Topographical botany. Part 2*. Newman, Thames Ditton.
- Watson, H.C. (1883). *Topographical botany: being local and personal records towards shewing the distribution of British plants traced through the 112 counties and vice-counties of England, Wales, and Scotland*. Second edition. B. Quaritch, London.

- Watson, W. (1915). A Somerset heath and its bryophytic zonation. *New Phytologist* **14**: 80-93.
- Watson, W. (1947) The Botanical Section. *Proceedings of the Somerset Archaeological and Natural History Society* **92**: 97-101.
- Webster, M.A. & Crouch, H.J. (2012). Monitoring the fate of *Glaucium flavum* (Yellow Horned-poppy) at Sand Bay, North Somerset. *BSBI News* **119**: 28-31.
- White, J.W. ed. (1881). *Flora of the Bristol coal-field. Part I Thalamiflorae*. James Fawn & Son, Bristol.
- White, J.W. ed. (1882). *Flora of the Bristol coal-field. Part II Calyciflorae*. James Fawn & Son, Bristol.
- White, J.W. ed. (1883). *Flora of the Bristol coal-field. Part III Corolliflorae*. James Fawn & Son, Bristol.
- White, J.W. ed. (1884). *Flora of the Bristol coal-field. Part IV Monochlamydeae*. James Fawn & Son, Bristol.
- White, J.W. ed. (1886). *Flora of the Bristol coal-field. Part VI Glumiferae, Gymnospermae et Cryptogamae Vasculares*. James Fawn & Son, Bristol.
- White, J.W. (1905). Bristol field-botany in 1901. *Proceedings of the Bristol Naturalists' Society New Series* **9**: 123-147.
- White, J.W. (1906). *Prunella laciniata* L. in Britain. *Journal of Botany* **44**: 365-366.
- White, J.W. (1912). *The flora of Bristol*. John Wright & Sons, Bristol.
- White, J.W. (1915). Bristol botany in 1914. *Annual Report and Proceedings of the Bristol Naturalists' Society Fourth Series*, **4**: 138-142.
- White, J.W. (1919). Bristol botany in 1917. *Annual Report and Proceedings of the Bristol Naturalists' Society Fourth Series*, **5**: 39-45.
- White, J.W. (1922). Bristol botany in 1920-21. *Annual Report and Proceedings of the Bristol Naturalists' Society Fourth Series*, **5**: 197-201.
- White, J.W. (1923). Bristol botany in 1922. *Annual Report and Proceedings of the Bristol Naturalists' Society Fourth Series*, **6**: 173-178.
- White, J.W. (1925). Bristol botany in 1924. *Annual Report and Proceedings of the Bristol Naturalists' Society Fourth Series*, **5**: 263-267.
- White, J.W. (1927). Bristol botany in 1926. *Annual Report and Proceedings of the Bristol Naturalists' Society Fourth Series*, **6**: 312-317.
- White, J.W. (1928). Bristol botany in 1927. *Annual Report and Proceedings of the Bristol Naturalists' Society Fourth Series*, **6**: 380-383.
- White, J.W. (1929). Bristol botany in 1928. *Annual Report and Proceedings of the Bristol Naturalists' Society Fourth Series*, **7**: 51-55.
- Wiggington, M.J. (1999). *British red data books 1 vascular plants*. Joint Nature Conservation Committee, Peterborough.
- Willis, A.J. (1966). Bristol botany in 1965. *Proceedings of the Bristol Naturalists' Society* **31**: 131-139.
- Willis, A.J. (1968). Bristol botany in 1967. *Proceedings of the Bristol Naturalists' Society* **31**: 351-360.

- Willis, A.J. (1971). Bristol botany in 1970. *Proceedings of the Bristol Naturalists' Society* **32**: 13-21.
- Willis, A.J. (1972). Bristol botany in 1971. *Proceedings of the Bristol Naturalists' Society* **32**: 97-104.
- Willis, A.J. (1974). Bristol botany in 1973. *Proceedings of the Bristol Naturalists' Society* **33**: 17-30.
- Willis, A.J. (1975). Bristol botany in 1974. *Proceedings of the Bristol Naturalists' Society* **34**: 13-22.
- Willis, A.J. (1978). Bristol botany in 1976. *Proceedings of the Bristol Naturalists' Society* **36**: 15-29.
- Willis, A.J. (1980a). *Ophrys apifera* Huds. x *O. insectifera* L., a natural hybrid in Britain. *Watsonia* **13**: 97-102.
- Willis, A.J. (1980b). Bristol botany in 1978. *Proceedings of the Bristol Naturalists' Society* **38**: 33-48.
- Willis, A.J. (1981). Bristol botany in 1980. *Proceedings of the Bristol Naturalists' Society* **40**: 98-111.
- Willis, A.J. (1982). Bristol botany in 1981. *Proceedings of the Bristol Naturalists' Society* **41**: 81-90.
- Willis, A.J. (1984). Bristol botany in 1982. *Proceedings of the Bristol Naturalists' Society* **42**: 99-107.
- Willis, A.J. (1986). Bristol botany in 1984. *Proceedings of the Bristol Naturalists' Society* **44**: 61-70.
- Willis, A.J. (1987). Bristol botany in 1985. *Proceedings of the Bristol Naturalists' Society* **45**: 53-61.
- Willis, A.J. (1991). Bristol botany in 1989. *Proceedings of the Bristol Naturalists' Society* **49**: 31-42.
- Willis, A.J. (1995). Bristol botany in 1993. *Nature in Avon (Proceedings of the Bristol Naturalists' Society)* **53**: 35-46.
- Willis, A.J. (1999). Bristol botany in 1996. *Nature in Avon (Proceedings of the Bristol Naturalists' Society)* **56**: 41-51.
- Willmott, A.J. (1942). Some remarks on British *Rhinanthus*. *Report of the Botanical Society and Exchange Club of the British Isles* **12**: 361-379.
- Wilson, P. & King, M. (2003). *Arable plants – a field guide*. English Nature and WildGuides.
- Withering, W. (1796). *Botanical arrangement of British plants*. 3<sup>rd</sup> ed. Swinney, London.
- Yemm, E.W. (1961). South-west regional meeting, 1960. Lectures: The development and ecology of the salt marsh at Berrow. *Proceedings of the Botanical Society of the British Isles* **4**: 209.
- Yeo, P.F. (1956). Hybridisation between diploid and tetraploid species of *Euphrasia*. *Watsonia* **3**: 253-269.